




Crankcase




Cylinder, Muffler




Cylinder, Muffler (09.2009)




Oil pump




Clutch




Chain brake




Ignition system




Rewind starter




Tank housing, AV-System




Air filter




Carburetor WG-12, WG-13




Carburetor HT-12 (09.2009)




Handlebar, Shroud



Helper's handle, Chain scabbard



Tools, Extras



Serial number

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z


Copyright ANDREAS STIHL AG & Co. KG 2021 (4)

| Description | Technical Information |
|---|---|
| Crankcase | |
| Cylinder, Muffler | |
| Cylinder, Muffler (09.2009) | |
| Oil pump | |
| Clutch | |
| Chain brake | |
| Ignition system | |
| Rewind starter | |
| Tank housing, AV-System | |
| Air filter | |
| Carburetor WG-12, WG-13 | |
| Carburetor HT-12 (09.2009) | |
| Handlebar, Shroud | |
| Helper's handle, Chain scabbard | |
| Tools, Extras | |
| Serial number | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (5)




online version not for re

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z


Copyright ANDREAS STIHL AG & Co. KG 2021 (6)

## Crankcase

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| 1 | | 1124 020 2602 | 1 | Crankcase | 2 - 5, 16, 17 | 8.2012 |
| 2 | | 0000 988 5215 | 1 | Connector | | |
| 3 | | 0000 988 8600 | 2 | Sleeve | | |
| 4 | | 9503 003 6676 | 1 | Grooved ball bearing 6203 | | |
| 5 | | 9640 003 1855 | 1 | Oil seal 17x32.9x5 | | |
| 6 | | 1124 020 2903 | 1 | Crankcase | 7 - 15 | |
| 7 | | 1120 162 5200 | 1 | Pin | | |
| 8 | | 1121 162 5200 | 2 | Pin | | |
| 9 | | 1121 162 5205 | 1 | Pin | | |
| 10 | | 0000 974 1200 | 1 | Notched pin 2.6x8 | | |
| 11 | | 1124 640 9100 | 1 | Valve | | |
| 12 | | 9465 620 2720 | 1 | Snap ring 47 | | |
| 13 | | 9640 003 2250 | 1 | Oil seal B20x39x4 | | |
| 14 | | 9523 003 4386 | 1 | Grooved ball bearing 20x47x15 | | |
| 15 | | 1124 664 2406 | 2 | Collar screw | | |
| 16 | | 0000 350 0533 | 1 | Filler cap | 17 | 8.2012 |
| 17 | | 9645 948 7734 | 1 | O-ring 25x3.5 | | |
| 18 | * | 1124 020 2116 | 1 | Crankcase (1,2,3,4) | 2, 4, 7 - 12, 14 - 20 | 9.2009 |
| 19 | * | 9371 470 2610 | 2 | Cylindrical pin 5x18 (1,2,3,4) | | 9.2009 |
| 20 | * | 9022 371 1050 | 8 | Spline screw IS-M5x25 (1,2,3,4) | | 9.2009 |
| 21 | * | 1124 029 0510 | 1 | Gasket (1,2,3,4) | | 9.2009 |
| 22 | | 9022 341 0900 | 8 | Spline screw IS-M5x28 | | |
| 23 | | 1124 030 0404 | 1 | Crankshaft | 24 | 25.2005 |
| 24 | | 1120 036 8500 | 1 | Woodruff key 2x3.7 | | |
| 25 | | 1124 029 0501 | 1 | Gasket | | |
| 26 | | 1124 647 9400 | 1 | Hose | | |
| 27 | | 1117 640 3800 | 1 | Pickup body | | |
| 28 | | 1125 791 2810 | 1 | Stop buffer | | |
| | | 1124 007 1052 | 1 | Set of gaskets | 5, 13, 25 | |
| | * | 1124 007 1051 | 1 | Set of gaskets 088 (1,2,3,4) | 5, 13, 21 | 9.2009 |

Online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z




online version - not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (8)


## Cylinder, Muffler

| Reference | Item number | Qty | Description | Contains |
|---|---|---|---|---|
| 1 | 1124 020 1209 | 1 | Cylinder with piston Ø 60 mm | 2 - 6 |
| 2 | 1124 030 2002 | 1 | Piston Ø 60 mm | 3 - 5 |
| 3 | 1124 034 3010 | 2 | Piston ring Ø 60x1.2 mm | |
| 4 | 1124 034 1500 | 1 | Piston pin 13x8x39 | |
| 5 | 9463 650 1300 | 2 | Snap ring 13x1 | |
| 6 | 0000 953 0818 | 1 | Stud M5 | |
| 7 | 1124 020 9401 | 1 | Decompression valve | |
| 8 | 1122 084 1405 | 1 | Cover | |
| 9 | 1110 400 7005 | 1 | Spark plug Bosch WSR 6 F | |
| 10 | 0000 400 7000 | 1 | Spark plug NGK BPMR7A | |
| 11 | 9022 341 1370 | 4 | Spline screw IS-M6x30 | |
| 12 | 1124 029 2310 | 1 | Cylinder gasket | |
| 13 | 9512 003 3440 | 1 | Needle cage 13 x17x17.5 | |
| 14 | 1124 149 0601 | 1 | Muffler gasket | |
| 15 | 1124 140 0603 | 1 | Muffler | 17 |
| 16 | 1124 140 0604 | 1 | Muffler USA, CDN, AUS, NZ (3,4) | 17, 18 |
| 17 | 1124 145 0801 | 1 | Exhaust casing | |
| 18 | 1124 145 8601 | 1 | Spark arresting screen USA, CDN, AUS, NZ (3,4) | |
| 19 | 9022 341 0910 | 2 | Spline screw IS-M5x6 | |
| 20 | 9022 341 0983 | 2 | Spline screw IS-M5x16 | |
| 21 | 1138 148 0700 | 2 | Collar screw | |
| 22 | 9331 630 0120 | 2 | Conical spring washer 5 | |
| 23 | 9216 263 0700 | 2 | Hexagon nut M5 | |
| | 1124 007 1052 | 1 | Set of gaskets | 12, 14 |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (9)




171ET022 GM

online version, ... production

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (10)


## Cylinder, Muffler (09.2009)

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| 1 | * | 1124 020 1207 | 1 | Cylinder with piston Ø 60 mm (1,2,3,4) | 2 - 6 | 9.2009 |
| 2 | * | 1124 030 2007 | 1 | Piston Ø 60 mm (1,2,3,4) | 3 - 5 | 9.2009 |
| 3 | * | 1124 034 3010 | 2 | Piston ring Ø 60x1.2 mm (1,2,3,4) | | 9.2009 |
| 4 | * | 1124 034 1500 | 1 | Piston pin 13x8x39 (1,2,3,4) | | 9.2009 |
| 5 | * | 9463 650 1300 | 2 | Snap ring 13x1 (1,2,3,4) | | 9.2009 |
| 6 | * | 0000 953 0818 | 1 | Stud M5 (1,2,3,4) | | 9.2009 |
| 7 | * | 1124 020 9410 | 1 | Decompression valve (1,2,3,4) | | 9.2009 |
| 8 | * | 1122 084 1405 | 1 | Cover (1,2,3,4) | | 9.2009 |
| 9 | * | 9022 341 1370 | 4 | Spline screw IS-M6x30 (1,2,3,4) | | 9.2009 |
| 10 | * | 1124 029 2310 | 1 | Cylinder gasket (1,2,3,4) | | 9.2009 |
| 11 | * | 9512 003 3440 | 1 | Needle cage 13 x17x17.5 (1,2,3,4) | | 9.2009 |
| 12 | * | 1124 149 0610 | 1 | Muffler gasket (1,2,3,4) | | 9.2009 |
| 13 | * | 1124 140 0625 | 1 | Muffler USA, CDN, AUS, NZ (3,4) | 14, 15, 18, 21 - 23 | 9.2009 |
| 14 | * | 1124 145 2905 | 1 | Muffler cover USA, CDN, AUS, NZ (3,4) | | 9.2009 |
| 15 | * | 1124 141 9005 | 1 | Screen USA, CDN, AUS, NZ (3,4) | | 9.2009 |
| 16 | * | 1124 140 0620 | 1 | Muffler (1,2,3,4) | 17, 18, 21 - 23 | 9.2009 |
| 17 | * | 1124 145 2900 | 1 | Muffler cover (1,2,3,4) | | 9.2009 |
| 18 | * | 9022 313 0660 | 4 | Spline screw IS-M4x12 (1,2,3,4) | | 9.2009 |
| 19 | * | 1124 145 1905 | 2 | Tension wedge (1,2,3,4) | | 9.2009 |
| 20 | * | 1124 145 1800 | 1 | Tension spring (1,2,3,4) | | 9.2009 |
| 21 | * | 1124 145 2005 | 2 | Support (1,2,3,4) | | 9.2009 |
| 22 | * | 9291 021 0120 | 4 | Washer 5.3 (1,2,3,4) | | 9.2009 |
| 23 | * | 9022 341 0980 | 4 | Spline screw IS-M5x16 (1,2,3,4) | | 9.2009 |
| 24 | * | 1110 400 7005 | 1 | Spark plug Bosch WSR 6 F (1,2,3,4) | | 9.2009 |
| 25 | * | 0000 400 7000 | 1 | Spark plug NGK BPMR7A (1,2,3,4) | | 9.2009 |
| | * | 1124 007 1051 | 1 | Set of gaskets 088 (1,2,3,4) | 10, 12 | 9.2009 |

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

online version not for reproduction

Copyright ANDREAS STIHL AG & Co. KG 2021 (11)




online version, not for reproduction


(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

## Oil pump

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| 1 | | 1122 649 5000 | 1 | Sealing ring B4x2 | | |
| 2 | | 1124 640 3201 | 1 | Oil pump adjustable (1.75 mm stroke) | 4, 6 - 15 | |
| 3 | | 1124 640 3203 | 1 | Oil pump (2.35 mm stroke) (B) | 5 - 15 | |
| 4 | | 1124 007 1029 | 1 | Set pump piston with worm | 6 - 10 | |
| 5 | | 1124 007 1013 | 1 | Set pump piston with worm (B) | 6 - 10 | |
| 6 | | 0000 958 0706 | 2 | Washer | | |
| 7 | | 0000 997 0842 | 1 | Compression spring | | |
| 8 | | 9643 003 0910 | 1 | Sealing ring 10x14x3 | | |
| 9 | | 1119 647 1800 | 1 | Spur gear | | |
| 10 | | 0000 958 0402 | 1 | Washer | | |
| 11 | | 1124 647 7810 | 1 | Washer | | |
| 12 | | 0000 988 6220 | 1 | Plug | | |
| 13 | | 9646 945 0160 | 2 | O-ring 4x2 | | |
| 14 | | 9380 620 1090 | 1 | Roll pin 2x10 | | |
| 15 | | 1124 647 4801 | 1 | Control bolt | | |
| 16 | * | 1124 647 4805 | 1 | Control bolt | | 58.2006 |
| 17 | | 1124 640 7512 | 1 | Spur gear | 18 | |
| 18 | | 1124 647 2400 | 1 | Spring | | |
| 19 | | 1124 021 1100 | 1 | Cover | | |
| 20 | | 9022 313 0660 | 8 | Spline screw IS-M4x12 | | |
| 21 | | 1124 021 1115 | 1 | Cover | | |
| 22 | | 1124 791 2800 | 1 | Stop buffer | | |
| 23 | | 1124 664 3600 | 1 | Deflector | | |
| 24 | | 9022 341 1310 | 2 | Spline screw IS-M6x18 | | |
| 25 | | 1124 664 0502 | 2 | Bumper spike (1) | | |
| 26 | | 1124 664 0506 | 2 | Bumper spike USA, CDN, AUS, NZ (2,3,4) | | |
| 27 | | 9214 320 0900 | 3 | Lock nut M6 | | |
| 28 | | 9008 319 1280 | 2 | Hexagon head screw M6x16 | | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z




online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (14)

## Clutch


| Reference | Item number | Qty | Description | Contains |
|---|---|---|---|---|
| | 1124 160 2005 | 1 | Clutch | 1 - 4 |
| 1 | 1124 162 3205 | 1 | Carrier | |
| 2 | 1124 162 0805 | 3 | Clutch shoe | |
| 3 | 1124 162 3000 | 3 | Retainer | |
| 4 | 0000 997 5818 | 3 | Tension spring | |
| 5 | 1124 162 8900 | 1 | Washer | |
| 6 | 9512 933 3170 | 1 | Needle cage 12x17x13 | |
| 7 | 1124 640 2005 | 1 | Chain sprocket 0.404" 7T (B) | |
| 8 | 1124 640 2004 | 1 | Chain sprocket 3/8" 8T (B) | |
| 9 | 0000 958 1236 | 1 | Washer | |
| 10 | 9460 624 1001 | 1 | E-clip 10x1.5 | |
| | 1124 007 1024 | 1 | Rim sprocket kit 0.404" 7T | 9 - 12 |
| 11 | 0000 642 1207 | 1 | Rim sprocket 0.404" 7T | |
| 12 | | 1 | Clutch drum (D) | |
| | 1124 007 1025 | 1 | Rim sprocket kit 3/8" 8T (B) | 9, 10, 12, 13 |
| 13 | 0000 642 1216 | 1 | Rim sprocket 3/8" 8T (B) | |
| 14 | 1124 007 1008 | 1 | Spur gear / chain adjusting screw kit | 15 |
| 15 | 9646 945 0490 | 1 | O-ring 7x1.5 | |
| 16 | 1124 664 5300 | 1 | Spring washer | |
| 17 | 1124 640 1900 | 1 | Tensioner slide | |
| 18 | 1124 664 1400 | 1 | Thrust pad | |
| 19 | 1124 664 2210 | 1 | Cover plate | |
| 20 | 9041 216 0630 | 1 | Pan head screw M4x8 | |
| 21 | 1124 664 4500 | 1 | Support | |
| 22 | 1124 664 1001 | 1 | Inner side plate | |
| 23 | 9022 313 0630 | 1 | Spline screw IS-M4x8 | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (15)

## Chain brake




online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (16)


## Chain brake

| Reference | Item number | Qty | Description | Contains |
|---|---|---|---|---|
| 1 | 1124 160 5400 | 1 | Brake band | |
| 2 | 1124 160 5500 | 1 | Tension spring | 3 |
| 3 | 1125 162 8002 | 1 | Hose 20 mm / 13/16" | |
| 4 | 1124 021 1120 | 1 | Cover | |
| 5 | 9022 313 0660 | 3 | Spline screw IS-M4x12 | |
| 6 | 1124 792 5500 | 1 | Bushing | |
| 7 | 1124 792 5505 | 1 | Bushing | |
| 8 | 9022 341 1080 | 1 | Spline screw IS-M5x35 | |
| 9 | 1124 664 1100 | 1 | Outer side plate (B) | |
| 10 | 9039 488 0340 | 1 | Self-tapping screw M3x8 (B) | |
| 11 | 1124 640 1702 | 1 | Chain sprocket cover | 12 - 15 |
| 12 | 1124 656 1505 | 1 | Guard | |
| 13 | 1124 656 2800 | 1 | Cover plate | |
| 14 | 9099 021 2770 | 1 | Self-tapping screw 3.9x13 | |
| 15 | 1121 648 6610 | 2 | Bumper strip | |
| 16 | 1124 650 7700 | 1 | Chain catcher | 17 |
| 17 | 9214 320 0700 | 1 | Lock nut M5 | |
| 18 | 0000 955 0903 | 2 | Nut M10 | |
| 19 | 1124 792 9110 | 1 | Hand guard | |
| 20 | 1124 160 5000 | 1 | Lever | |
| 21 | 9460 624 0400 | 2 | E-clip 4 | |
| 22 | 1121 162 5010 | 1 | Lever | |
| 23 | 0000 997 0628 | 1 | Spring | |
| 24 | 0000 967 3915 | 1 | Instruction label USA (3,4) | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (17)




online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (18)


## Ignition system

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| 1 | | 1124 400 1201 | 1 | Flywheel | | 25.2005 |
| 2 | | 9211 260 1340 | 1 | Hexagon nut M10x1 | | |
| 3 | | 1124 400 1302 | 1 | Ignition module | 4, 5 | |
| 4 | | | 1 | Ignition lead 243 mm (D) | | |
| | | 0000 405 0600 | 1 | Ignition lead 1 m (A,B) | | |
| | | 0000 930 2251 | 1 | Ignition lead 10 m (A,B) | | |
| 5 | | 0000 989 1002 | 1 | Grommet | | |
| 6 | | 0000 998 0604 | 1 | Spark plug contact spring | | |
| 7 | | 1128 405 1000 | 1 | Spark plug boot | | |
| 8 | | 1128 084 1400 | 1 | Spark plug boot cover | | |
| 9 | | 1124 440 3000 | 1 | Wiring harness | | |
| 10 | | 1124 405 8001 | 1 | Insulating hose | | |
| 11 | | 9022 341 1019 | 2 | Spline screw IS-M5x20 | | |
| 12 | | 1124 989 1000 | 2 | Grommet | | |
| 13 | * | 1124 400 1210 | 1 | Flywheel (1,2,3,4) | | 9.2009 25.2005 |
| 14 | * | 1124 400 1301 | 1 | Ignition module EY-V (1,2,3,4) | 15 - 17 | 9.2009 |
| 15 | * | | 1 | Ignition lead 200 mm (D) (1,2,3,4) | | 9.2009 |
| 16 | * | 0000 989 1010 | 1 | Grommet (1,2,3,4) | | 9.2009 |
| 17 | * | 1125 448 1201 | 1 | Lead retainer (1,2,3,4) | | 9.2009 |
| 18 | * | 1124 440 1101 | 1 | Short circuit wire (1,2,3,4) | 19, 20 | 9.2009 |
| 19 | * | 1119 442 7000 | 1 | Contact sleeve (C) (1,2,3,4) | | 9.2009 |
| 20 | * | 0751 030 8957 | 1 | Terminal socket 4.8-1/0.8 (C) (1,2,3,4) | | 9.2009 |
| | * | 0751 010 1110 | 1 | Cable 10 m (A,B) (1,2,3,4) | | 9.2009 |
| 21 | * | 1124 440 2200 | 1 | Ground wire (1,2,3,4) | 19, 22 | 9.2009 |
| 22 | * | 0751 030 8969 | 1 | Terminal socket A5-1.5 (C) (1,2,3,4) | | 9.2009 |
| 23 | * | 1121 405 8001 | 1 | Insulating hose 90 mm / 3.5" (1,2,3,4) | | 9.2009 |
| 24 | * | 1125 442 0400 | 1 | Insulating hose 120 mm / 4.7" (1,2,3,4) | | 9.2009 |
| 25 | * | 9291 021 0120 | 3 | Washer 5.3 (1,2,3,4) | | 9.2009 |
| 26 | * | 9022 371 1050 | 3 | Spline screw IS-M5x25 (1,2,3,4) | | 9.2009 |
| 27 | * | 0000 989 1004 | 2 | Grommet (1,2,3,4) | | 9.2009 |

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

online version, not for reproduction

Copyright ANDREAS STIHL AG & Co. KG 2021 (19)




online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (20)


## Rewind starter

| Reference | Item number | Qty | Description | Contains |
|---|---|---|---|---|
| | 1124 080 2110 | 1 | Fan housing with rewind starter | 1 - 15 |
| 1 | 1124 080 1810 | 1 | Fan housing | 2 - 5 |
| 2 | 0000 967 2035 | 1 | Nameplate STIHL | |
| 3 | 1110 084 9102 | 1 | Bushing | |
| 4 | 0000 958 0607 | 1 | Washer | |
| 5 | 9416 868 6530 | 1 | Hollow rivet 6.5x0.5x6.8 | |
| 6 | 1124 190 0605 | 1 | Rewind spring | |
| 7 | 1124 195 0400 | 1 | Rope rotor | |
| 8 | 1122 190 3400 | 1 | Starter grip ElastoStart Ø 4,5 mm | 9 |
| 9 | 1122 190 2900 | 1 | Starter rope Ø 4.5 mm | |
| | 0000 930 2268 | 1 | Starter rope Ø 4.5mm / 28 pieces (B) | |
| 10 | 1124 195 7200 | 2 | Pawl | |
| 11 | 1119 162 8925 | 1 | Washer Ø 12 mm | |
| 12 | 1124 195 3500 | 1 | Spring | |
| 13 | 1124 084 7810 | 1 | Segment | |
| 14 | 9022 313 0660 | 3 | Spline screw IS-M4x12 | |
| 15 | 9307 021 0100 | 1 | Washer 4.3 | |
| 16 | 9022 371 1020 | 3 | Spline screw IS-M5x20 | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (21)




(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (22)

## Tank housing, AV-System

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| 1 | | 1124 350 0825 | 1 | Tank housing | 3 - 8, 32 | 8.2012 |
| 2 | * | 1124 350 0821 | 1 | Tank housing (C) (1,2,3,4) | 3 - 8 | 9.2009 |
| 3 | | 1124 122 6610 | 2 | Collar screw | | |
| 4 | | 0000 967 7247 | 1 | Warning pictogram MS | | |
| 5 | | 0000 958 0513 | 2 | Washer | | |
| 6 | | 0000 350 5800 | 1 | Tank vent | | |
| 7 | | 0000 350 0533 | 1 | Filler cap | 8 | 8.2012 |
| 8 | | 9645 948 7734 | 1 | O-ring 25x3.5 | | |
| 9 | | 1124 141 8603 | 1 | Impulse hose | | |
| 10 | | 1125 647 8200 | 1 | Sleeve | | |
| 11 | | 1124 141 1801 | 1 | Sleeve | | |
| 12 | | 1124 141 2202 | 1 | Manifold | | |
| 13 | * | 1124 141 2201 | 1 | Manifold (1,2,3,4) | | 9.2009 |
| 14 | * | 1124 141 1800 | 1 | Sleeve (1,2,3,4) | | 9.2009 |
| 15 | | 9771 021 2630 | 1 | Hose clip 38x7 | | |
| 16 | | 1124 791 8400 | 1 | Ring | | |
| 17 | | 1119 791 8400 | 1 | Ring | | |
| 18 | | | 1 | Hose 3.1x5.7x130 mm, R5 (D) | | |
| | | 0000 937 5004 | 1 | Hose 3.1x5.7 mm x 1 m R5 (A,B) | | |
| 19 | | 1124 122 3900 | 1 | Connector | | |
| 20 | | 1124 358 7700 | 1 | Hose | | |
| 21 | | 0000 350 3518 | 1 | Pickup body | | |
| | | | 1 | AV system normal: | | |
| 22 | | 1124 790 9900 | 1 | Annular buffer (1,4) | | |
| 23 | | 1124 790 9901 | 1 | Annular buffer (1,4) | | |
| 24 | | 1121 790 9912 | 1 | Annular buffer (1,4) | | |
| 25 | | 1124 790 9920 | 1 | Annular buffer (1,4) | | |
| | | | 1 | AV system hard: | | |
| 25 | | 1124 790 9920 | 1 | Annular buffer (2,3) | | |
| 26 | | 1124 790 9908 | 1 | Annular buffer (2,3) | | |
| 27 | | 1124 790 9900 | 1 | Annular buffer (2,3) | | |
| 28 | | 1124 790 9905 | 1 | Annular buffer (2,3) | | |
| 29 | | 9022 341 0960 | 2 | Spline screw IS-M5x12 | | |
| 30 | | 1124 791 7605 | 1 | Support | | |
| 31 | | 9022 341 1400 | 1 | Spline screw IS-M6x40 | | |
| 32 | | 9022 341 1310 | 1 | Spline screw IS-M6x18 | | |
| 33 | * | 9074 478 4435 | 1 | Pan head self-tapping | | 9.2009 |

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

online version, not for reproduction


Copyright ANDREAS STIHL AG & Co. KG 2021 (23)

| Reference | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|
| | | | screw IS-P6x19 (1,2,3,4) | | |
| 34 | 9074 478 4435 | 2 | Pan head self-tapping screw IS-P6x19 | | |
| 35 | 1124 791 7300 | 2 | Plug | | |
| 36 | 1119 791 7306 | 1 | Plug | | |
| 37 | 1125 791 2810 | 1 | Stop buffer | | |
| 38 | 0000 967 3500 | 1 | Instruction label USA | | |
| 39 | 0000 967 4067 | 1 | Warning Spark arresting screen USA (3,4) | | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (24)




(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (25)


## Air filter

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| 1 | | 1124 120 0611 | 1 | Carburetor WG-12A | | |
| 1 | * | 1124 120 0613 | 1 | Carburetor WG-13 (1,2,3,4) | | |
| 2 | * | 1124 120 0609 | 1 | Carburetor HT-12E (1,2,3,4) | | 9.2009 |
| 3 | * | 1124 123 7501 | 1 | Grommet (1,2,3,4) | | 9.2009 |
| 4 | | 1124 123 7502 | 1 | Grommet | | |
| 5 | | 1124 121 9100 | 1 | Bushing | | |
| 6 | | 1124 124 3420 | 1 | Filter base | | |
| 7 | | 1124 120 2200 | 1 | Flange | 8 | |
| 8 | | 9121 319 0960 | 1 | Stud M5x12x9 | | |
| 9 | | 9216 261 0700 | 2 | Hexagon nut M5 | | |
| 10 | | 0000 120 1653 | 1 | Air filter, wire mesh (B) (1) | | |
| 11 | | 0000 140 4402 | 1 | Air filter HD2 | | |
| 12 | | 0000 141 0601 | 1 | Prefilter (B) | | |
| 13 | * | 0000 141 0300 | 1 | Prefilter (2,3,4) | | 47.2010 |
| 14 | | 1124 141 0510 | 1 | Filter cover | | |
| 15 | | 0000 967 7252 | 1 | Warning pictogram Filler cap USA (3,4) | | |
| 16 | * | 0000 967 3749 | 1 | Warning pictogram Filler cap USA, AUS, NZ (3,4) | | |
| 17 | | 1124 140 9500 | 1 | Twist lock | | |
| 18 | | 1128 141 4001 | 1 | Slide | | |
| 19 | | 1124 182 1000 | 1 | Throttle trigger | | |
| 20 | | 9371 470 2640 | 1 | Cylindrical pin 5x24 | | |
| 21 | | 1117 182 4500 | 1 | Torsion spring | | |
| 22 | | 1117 182 0805 | 1 | Lockout lever | | |
| 23 | | 1124 180 4050 | 1 | Double lever | | |
| 24 | | 1124 182 0900 | 1 | Switch shaft | | |
| 25 | | 1124 185 2000 | 1 | Choke lever | | |
| 26 | | 1124 182 4400 | 1 | Mount | | |
| 27 | | 9074 478 3076 | 2 | Pan head self-tapping screw IS-P4x19 | | |
| 28 | | 1124 185 1900 | 1 | Choke rod | | |
| 29 | | 1124 182 1505 | 1 | Throttle rod | | |
| 30 | | 1124 442 1600 | 1 | Contact spring | | |
| 31 | | 1124 791 0600 | 1 | Handle molding | | |

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

online version, not for reproduction

Copyright ANDREAS STIHL AG & Co. KG 2021 (26) 




online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (27)


# Carburetor WG-12, WG-13

| Reference | | Item number | Qty | Description | Contains |
|---|---|---|---|---|---|
| | | 1124 120 0611 | 1 | Carburetor WG-12A | 1 - 29 |
| | * | 1124 120 0613 | 1 | Carburetor WG-13 (1,2,3,4) | 1 - 27, 30, 31 |
| 1 | | 1124 121 5609 | 1 | Fixed jet 0.88 | |
| 2 | | 1117 121 5000 | 1 | Inlet control lever | |
| 3 | | 1114 122 7400 | 1 | Round head screw | |
| 4 | | 1117 121 9200 | 1 | Spindle | |
| 5 | | 1124 122 3002 | 1 | Spring | |
| 6 | | 4116 121 5100 | 1 | Inlet needle | |
| 7 | | 1116 129 0900 | 1 | Gasket | |
| 8 | | 1124 121 4700 | 1 | Metering diaphragm | |
| 9 | | 1124 121 0804 | 1 | End cover | |
| 10 | | 1124 122 7400 | 4 | Round head screw | |
| 11 | | 1114 121 7800 | 1 | Strainer | |
| 12 | | 1115 121 4800 | 1 | Pump diaphragm | |
| 13 | | 1115 129 1100 | 1 | Gasket | |
| 14 | | 1124 120 2600 | 1 | Pump cover | |
| 15 | | 1115 122 7100 | 4 | Round head screw | |
| 16 | | 1124 122 3203 | 1 | Torsion spring | |
| 17 | | 1124 120 7202 | 1 | Choke shaft with lever | |
| 18 | | 1124 121 2901 | 1 | Choke shutter | |
| 19 | | 4224 122 7801 | 2 | Oval head screw | |
| 20 | | 1117 122 9000 | 2 | E-clip | |
| 21 | | 1124 121 8700 | 2 | Bushing | |
| 22 | | 1124 122 3204 | 1 | Torsion spring | |
| 23 | | 1124 120 7101 | 1 | Throttle shaft with lever | |
| 24 | | 1124 122 6201 | 1 | Idle speed screw | |
| 25 | | 1122 121 7700 | 1 | Clamp | |
| 26 | | 1124 122 6706 | 1 | High speed screw | |
| 27 | | 4203 121 2700 | 2 | Cap | |
| 28 | | 1124 122 6804 | 1 | Low speed screw | |
| 29 | | 1124 121 3302 | 1 | Throttle shutter | |
| 30 | * | 1124 121 3303 | 1 | Throttle shutter (1,2,3,4) | |
| 31 | * | 1124 122 6805 | 1 | Low speed screw (1,2,3,4) | |
| | | 1124 007 1061 | 1 | Set of carburetor parts | 7, 8, 12, 13 |

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

online version, not for reproduction

Copyright ANDREAS STIHL AG & Co. KG 2021 (28)




online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (29)

## Carburetor HT-12 (09.2009)

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| | * | 1124 120 0609 | 1 | Carburetor HT-12E (1,2,3,4) | 1 - 33 | 9.2009 |
| 1 | * | 1110 122 9410 | 1 | Plug (1,2,3,4) | | 9.2009 |
| 2 | * | 1124 121 5604 | 1 | Fixed jet 1.04 (1,2,3,4) | | 9.2009 |
| 3 | * | 1124 121 5405 | 1 | Valve jet (1,2,3,4) | | 9.2009 |
| 4 | * | 1124 121 5000 | 1 | Inlet control lever (1,2,3,4) | | 9.2009 |
| 5 | * | 1110 122 7800 | 1 | Oval head screw (1,2,3,4) | | 9.2009 |
| 6 | * | 1110 121 9200 | 1 | Spindle (1,2,3,4) | | 9.2009 |
| 7 | * | 1124 122 3001 | 1 | Spring (1,2,3,4) | | 9.2009 |
| 8 | * | 1110 121 5100 | 1 | Inlet needle (1,2,3,4) | | 9.2009 |
| 9 | * | 1110 121 4700 | 1 | Metering diaphragm (1,2,3,4) | | 9.2009 |
| 10 | * | 1110 129 0900 | 1 | Gasket (1,2,3,4) | | 9.2009 |
| 11 | * | 1124 121 0803 | 1 | End cover (1,2,3,4) | | 9.2009 |
| 12 | * | 1124 122 7102 | 4 | Screw (1,2,3,4) | | 9.2009 |
| 13 | * | 4221 121 7800 | 1 | Strainer (1,2,3,4) | | 9.2009 |
| 14 | * | 1124 121 4800 | 1 | Pump diaphragm (1,2,3,4) | | 9.2009 |
| 15 | * | 1110 129 1110 | 1 | Gasket (1,2,3,4) | | 9.2009 |
| 16 | * | 1124 121 0802 | 1 | End cover (1,2,3,4) | | 9.2009 |
| 17 | * | 1110 122 7700 | 4 | Oval head screw (1,2,3,4) | | 9.2009 |
| 18 | * | 1124 122 3200 | 1 | Torsion spring (1,2,3,4) | | 9.2009 |
| 19 | * | 1124 120 7200 | 1 | Choke shaft with lever (1,2,3,4) | | 9.2009 |
| 20 | * | 1124 121 2900 | 1 | Choke shutter (1,2,3,4) | | 9.2009 |
| 21 | * | 1110 122 7400 | 2 | Round head screw (1,2,3,4) | | 9.2009 |
| 22 | * | 1110 122 9005 | 2 | E-clip (1,2,3,4) | | 9.2009 |
| 23 | * | 1124 121 8600 | 1 | Washer (1,2,3,4) | | 9.2009 |
| 24 | * | 4221 122 9100 | 2 | Bushing (1,2,3,4) | | 9.2009 |
| 25 | * | 1124 122 3202 | 1 | Torsion spring (1,2,3,4) | | 9.2009 |
| 26 | * | 1124 120 7100 | 1 | Throttle shaft with lever (1,2,3,4) | | 9.2009 |
| 27 | * | 1124 121 3301 | 1 | Throttle shutter (1,2,3,4) | | 9.2009 |
| 28 | * | 1124 121 7700 | 1 | Clamp (1,2,3,4) | | 9.2009 |
| 29 | * | 1124 122 6200 | 1 | Idle speed screw (1,2,3,4) | | 9.2009 |
| 30 | * | 1124 122 6803 | 1 | Low speed screw (1,2,3,4) | | 9.2009 |
| 31 | * | 1124 122 6703 | 1 | High speed screw (1,2,3,4) | | 9.2009 |
| 32 | * | 4205 122 3000 | 2 | Spring (1,2,3,4) | | 9.2009 |
| 33 | * | 1124 121 2700 | 2 | Cap (1,2,3,4) | | 9.2009 |

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

online version, not for reproduction


Copyright ANDREAS STIHL AG & Co. KG 2021 (30) 

| Reference | | Item number | Qty | Description | Contains | Technical Information |
|---|---|---|---|---|---|---|
| 34 | * | 1124 123 7501 | 1 | Grommet (1,2,3,4) | | 9.2009 |
| 35 | * | 1124 121 5603 | 1 | Fixed jet 1.00 (B) High altitude (1,2,3,4) | | 9.2009 |
| | * | 1124 007 1060 | 1 | Set of carburetor parts (1,2,3,4) | 9, 10, 14, 15 | 9.2009 |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (31)




online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (32)


## Handlebar, Shroud

| Reference | Item number | Qty | Description | Contains |
|---|---|---|---|---|
| 1 | 1124 790 1721 | 1 | Handlebar with hose (1,4) | 2 |
| 2 | | 1 | Handle hose 450 mm / 17 3/4'' (D) (1,4) | |
| | 0000 791 2005 | 1 | Handle hose Ø 23 mm x 5m / 1x197" (B) | |
| 3 | 1124 791 5105 | 1 | Handlebar stiffener (1,4) | |
| 4 | 1124 790 3620 | 1 | Wrap around handlebar with hose (2,3) | 5 - 9 |
| 5 | | 1 | Handle hose 323 mm (D) (2,3) | |
| 6 | | 1 | Handle hose 415 mm / 16 3/8'' (D) (2,3) | |
| 7 | 1124 791 5500 | 1 | Elbow connector (2,3) | |
| 8 | 9291 021 0140 | 1 | Washer 6.4 (2,3) | |
| 9 | 9022 341 1300 | 1 | Spline screw IS-M6x20 (2,3) | |
| 10 | 9074 478 4475 | 2 | Pan head self-tapping screw IS-P6x21.5 | |
| 11 | 9074 478 4675 | 2 | Pan head self-tapping screw IS-P6x32.5 | |
| 12 | 1124 080 1602 | 1 | Shroud | 13 - 18 |
| 13 | 0000 963 0808 | 2 | Bushing | |
| 14 | 1124 967 1501 | 1 | Model plate MS 880 | |
| 15 | 1121 084 7000 | 1 | Slotted nut | |
| 16 | 1121 084 6901 | 1 | Insulator | |
| 17 | 1124 084 3000 | 1 | Shim | |
| 18 | 1124 084 8300 | 1 | Reflector foil | |
| 19 | 0000 967 1593 | 1 | Model plate Magnum USA, CDN, AUS, NZ (3,4) | |
| 20 | 9022 371 1020 | 2 | Spline screw IS-M5x20 | |
| 21 | 1118 145 9000 | 1 | Plug (B) | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (33)




online version, for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (34)


## Helper's handle, Chain scabbard

| Reference | Item number | Qty | Description | Contains |
|---|---|---|---|---|
| 1 | 1124 660 2500 | 1 | Helper's handle (B) | 2 - 10 |
| 2 | 1109 660 0600 | 1 | Tensioning bolt (B) | 3 |
| 3 | 9380 620 1120 | 1 | Roll pin 2x14 (B) | |
| 4 | 0000 958 2208 | 1 | Washer (B) | |
| 5 | 0000 997 0620 | 1 | Compression spring (B) | |
| 6 | 1109 660 0500 | 1 | Tensioning nut (B) | |
| 7 | 1109 790 2200 | 1 | Front handle (B) | |
| 8 | 1109 791 9000 | 2 | Clamp (B) | |
| 9 | 9007 319 1400 | 2 | Hexagon head screw M6x40 (B) | |
| 10 | 9214 320 0900 | 2 | Lock nut M6 (B) | |
| | 1124 007 1018 | 1 | Chain guard kit 105 cm / 42" (B) | 11 - 22 |
| 11 | 1109 650 8400 | 1 | Support (B) | |
| 12 | 9042 216 1400 | 1 | Pan head screw M6x40 (B) | |
| 13 | 1401 668 8500 | 1 | Spring bolt (B) | |
| 14 | 0000 997 0901 | 2 | Compression spring (B) | |
| 15 | 0000 958 0600 | 1 | Washer (B) | |
| 16 | 9395 021 0790 | 1 | Split pin 1.6x12 (B) | |
| 17 | 1124 656 8300 | 1 | Support (B) | |
| 18 | 1401 640 8000 | 1 | Spring bolt (B) | |
| 19 | 0000 961 1401 | 1 | Ring (B) | |
| 20 | 1401 648 8400 | 1 | Push button (B) | |
| 21 | 9008 319 1280 | 1 | Hexagon head screw M6x16 (B) | |
| 22 | 1202 656 1000 | 1 | Chain scabbard 105 cm / 42" (B) | |
| | 1124 007 1019 | 1 | Chain guard kit 120 cm / 48" (B) | 11 - 21, 23 |
| 23 | 1202 656 1001 | 1 | Chain scabbard 120 cm / 48" (B) | |
| | 1124 007 1020 | 1 | Chain guard kit 150 cm / 59" (B) | 11 - 21, 24 |
| 24 | 1202 656 1002 | 1 | Chain scabbard 150 cm / 59" (B) | |
| 25 | 1124 660 2650 | 1 | Spacer (B) | 26 |
| 26 | 9008 319 2360 | 2 | Hexagon head screw M10x20 (B) | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (35)




171ET000 GM

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z


Copyright ANDREAS STIHL AG & Co. KG 2021 (36)

## Tools, Extras

| Reference | Item number | Qty | Description | Contains |
|---|---|---|---|---|
| | 1121 890 1400 | 1 | Tool kit | 1 - 4 |
| 1 | 1129 890 3401 | 1 | Combination wrench | |
| 2 | 0812 370 1000 | 1 | Screwdriver T27x120x70 | |
| 3 | 0000 890 2300 | 1 | Screwdriver | |
| 4 | 0000 891 0810 | 1 | Tool roll | |
| 5 | 0000 792 9130 | 1 | Chain scabbard | |
| 6 | 0000 792 9133 | 1 | Chain scabbard extension up to 90 cm | |
| 7 | 1110 893 4000 | 1 | Filing gauge (B) | |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z




550ET011 SC

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z

Copyright ANDREAS STIHL AG & Co. KG 2021 (38)

## Serial number

| Reference | Qty | Description |
|---|---|---|
| 1 | 1 | Position of serial number |

online version, not for reproduction

(1) MS 880, (2) MS 880-R, (3) MS 880-RZ, (4) MS 880-Z