





COVER COMPONENTS

ITEM No.	PART NUMBER	DESCRIPTION	QTY
1	D40.0100.0006	Rear cover	1
2	D40.0100.0004	Right foot board	1
2	D40.0100.0008	Bottom plate	1
4	GB/T70.2-2000	Hexagon socket button head screws M6*25	6
5	D40.0100.0003	Left foot board	1
6	D40.0101.0007	Left cover	1
7	GB 845-88	Screw ST4.8x13	13
8	D40.0101.0004	Left light cover	1
9	D40.0101.0009	Front cover	1
10		Clamp	3
11	D40.0100.0001	Pin	2
12	D24.0113.0001	Hair pin cotter %c2	2
13	D40.0101.0006	Right light cover	1
14	D40.0101.0100	Light	2
15	D40.0101.0003	Top cover	1
16	GB 845-88	Screw ST4.2x10	14
17	D40.0101.0005	Front wind board	1
18	D40.0101.0007	Right cover	1
19	D40.0101.0002	Left wind board	1
20	D40.0101.0010	Spring fastener	1
21	D40.0101.0008	Right wind board	1
22	GB/T6183.1-2000	Hexagon lock nut M5	5
23	D40.0100.0002	Instrument board	1

SupaSwift Gear 36

24	D40.0100.0009	Shield	1
25	GB/T818-2000	Screw M5x16	3
26	GB/T5789-2000	Hexagon bolt M6x16	8
27	D40.0100.0005	Cup support	1
28	D40.0100.0007	Handle guide plate	1
29	D40.0100.0010	Clutch switch	1
30	D24.0123.1100	Engine lock	1
31	GB/T5789-2000	Hexagon bolt M5x45	2
32	D40.0100.0011	Switch gland	1
33	D40.0100.0012	Guide sleeve	2
34	D40.0100.0013	Spring	2
35	D24.0115.0002	Rubber pad	1
36	D24.0117.0010	Buckle nut M6	4
37	GB/T6183.1-2000	Hexagon lock nut M6	2
38	D24.0123.1000	switch	2
39	D40.0100.0014	Seat switch base	1
40	01.01.1063	Screw M6x16	2




FRAME COMPONENTS

1	GB/T93-87	Spring washer 8	12
2	D40.0104.1100	Front cover bracket L	2
3	GB/T5789-2000	Hexagon bolt M8x20	16
4	GB 96-85	Washer 8	8
5	D40.0104.0100	Bumper weldment	1
6	D36.0302.0100	Frame weldment	1
7	D40.0104.1200	Front cover bracket R	1
8	D40.0104.0012	Bumper end lid	2
9	D40.0104.0002	Muffler cover	1
10	GB/T947-86	Screw M6x16	2
11	D40.0103.1700	Muffler	1
12	D40.0104.0001	Muffler base	1
13	GB/T93-87	Spring washer 6	6
14	GB/T5789-2000	Hexagon bolt M6x20	12
15	D40.0104.0800	Tank cap	1
16	D40.0103.0610	Screw 5/16-18UNC	2
17	D40.0103.0609	Vent-pipe washer	1
18	D40.0103.0611	Nut 5/16-18UNC	2
19	D40.0103.1800	Vent Pipe	1
20	D40.0103.0613	Vent pipe shield	1
21	GB/T5789-2000	Hexagon bolt M6x60	1
22	D40.0202.0001	Tank	1
23	D40.0104.1003	Hood fastener	1
24	D40.0106.0004	Pivot tube	1
25	GB/T6170-2000	Hexagon nut M6	2

SupaSwift Gear 36

26	GB/T6170-2000	Hexagon nut M3	4
27	GB 93-2000	Spring washer 3	4
28	D40.0104.1004	Buzzer	1
29	GB/818-2000	Screw M3x10	2
30	D40.0104.1002	Light switch	1
31	GB/T818-2000	Screw M4x16	2
32	D40.0202.0200	Front bracket weldment	1
33	D40.0104.1001	Throttle cable	1
34	D24.0117.0010	Buckle nut M6	2
35	D40.0103.0008	Fuel tube	1
36	D40.0103.0010	Tube hoop	2
37	GB/T845-85	Screw ST4.2x10	2
38	GB/T818-2000	Screw M6x16	6
39	D24.0123.1000	switch	2
40	D40.0104.0301	Switch base	1
41	GB/T6183.1-2000	Hexagon lock nut M6	20
42	D24.0115.0200	Seat	1
43	D40.0104.0902	Seat mounting bracket	2
44	D40.0104.0901	Swivel bolt	4
45	GB/T6183.1-2000	Hexagon lock nut M8	19
46	GB/T818-2000	Screw M5x16	4
47	GB/T5789-2000	Hexagon bolt M8x16	4
48	D40.0104.0903	Spring flake	2
49	D40.0104.0010	Spring cap	2
50	GB/T6183.1-2000	Hexagon lock nut M5	4
51	GB/T6183.1-2000	Hexagon bolt M8x25	16
52	D40.0104.0009	Seat spring	2
53	D40.0104.0601	Switch base	1
54	D40.0104.1300	Switch base weldment	1
55	GB/T91-2000	Cotter pin 2x16	1
56	D40.0104.0502	Switch	2
57	GB/T818-2000	Screw M3x20	2
58	D40.0104.0503	Hook	1
59	D40.0104.0501	Switch lever	1
60	GB 95-85	Washer 6	5
61	D40.0104.0700	Swivel bracket weldment(R)	1
62	D40.0104.0400	Swivel bracket weldment(L)	1
63	D40.0104.0008	Rear baffle plate	1
64	D40.0104.0005	Tow attachment	1
65	D40.0104.0007	Brackrt for spring R	1
66	D40.0104.0006	Brackrt for spring L	1
67	D24.0118.0005	Pull hook	2
68	D24.0118.0007	Spring	2
69	D24.0118.0006	Pin screw	2
70	D24.0106.0002	Height control block	1
71	GB/T6170-2000	Hexagon nut M8	1




DRIVE CONTROL COMPONENTS

1	D24.0109.0001	Hub cover	2
2	GB/T896-86	Snapring 15	2
3	D40.0102.0015	Washer $\varnothing 20 \times 43 \times 3$	4
4	D40.0103.0200	Tyre 18x8.5-8	2
5	GB/T5789-2000	Hexagon bolt M10x40	5
6	GB/T5789-2000	Hexagon bolt M6x20	2
7	D36.0301.0503	Brake cable bracket	1
8	DANA 6800-4E	Transmission	1
9	GB/T6183.1-2000	Hexagon lock nut M8	12
10	D40.0103.0018	Belt AP2700	1
11	D24.0114.0004	Traction spring	1
12	GB/T6170-2000	Hexagon nut M3	4
13	GB 93-2000	Spring washer 3	4
14	D36.0301.0102	Bracket for transmission	1
15	ANSI B18.6.4	TAPPING SCREW 5/16 - 18 - 3/4	1
16	D40.0104.0502	Switch	1
17	GB/818-2000	Screw M3x20	2
18	D39.0104.0800	Idler pulley for transmission	
19	GB894.1-86	Axial elastic ring 16	1
20	GB/T5789-2000	Hexagon bolt M8x70	4
21	D40.0103.1200	Idler pulley	4
22	D40.0103.0001	Spacer ring	4
23	D36.0301.0501	Belt holder	4
24	GB/T6183.1-2000	Hexagon nut M10x1.25	5
25	D40.0103.2200	Brake pedal weldment	1

SupaSwift Gear 36


26	D40.0103.1004	Brake pedal	1
27	GB 91-86	Hair pin	1
28	D36.0301.1400	Parking arm weldment	1
29	D40.0103.1001	Torsion spring	1
30	D40.0103.1003	Pivot	1
31	D40.0103.1002	Parking pedal	1
32	GB 96-85	Washer 6	3
33		Hair pin	3
34	D36.0301.0900	Cable for clutch	1
35	GB/T5789-2000	Hexagon bolt M8x35	4
36	GB/T894.1-2000	Axial elastic ring 14	2
37	D40.0103.0017	Brake axle	1
38	D36.0301.1500	Brake arm weldment	1
39	GB/T6183.1-2000	Hexagon lock nut M6	7
40	D40.0103.0601	Engine HP17.5	1
41	D36.0301.0700	Clutch support	2
42	GB/T6177.1-2000	Hexagon nut M8	2
43	GB/T1906	Key 6.35x6.35x30	1
44	D36.0301.1700	Engine pulley weldment	1
45	D36.0301.1200	Engine pulley holder	
46	D40.0103.1300	Brake cable assembly	1
47	D40.0103.1600	Idler pulley	1
48	D40.0103.0605	Electric clutch	1
49	GB 93-87	Spring washer 12	1
50	D40.0103.0606	Engine axial bolt 7/16-20unf	1
51	D40.0103.0006	Traction spring	1
52	GB894.1-86	Axial elastic ring 16	1
53	D40.0103.1500	Idler pulley arm weldment	1
54	JB/T7940.2-95	Grease fitting M6	1
55	D40.0103.0503	Pulley bushing	1
56	D40.0103.0103	Key 4.85x4.85-60	2



SPEED CHANGER


SPEED CHANGER			
2	D36.0301.0400	Support	1
3	D24.0114.0003	Snap bush	2
4	GB 896-86	Snap ring 12	1
5	D24.0113.0001	Hair pin cotter	1
6	GB 97.1-85	Washer 8	1
7	D36.0301.0204	Torsion spring	1
8	D36.0301.0201	Gear shift lever	1
9	D39.0105.0012	Knob	1
10	D36.0301.0300	Shift arm weldment	1
11	GB/T5789-2000	Hexagon bolt M8x65	2
12	GB 97.1-85	Washer 10	1
13	D36.0301.0202	Gear shift rod	1
14	GB/T6170-2000	Hexagon nut M8	1
15	GB/T5789-2000	Hexagon bolt M8x30	1
16	GB/T304.2-1988	Joint bearing SIJK8C	1
17	ANSI B18.6.3	UK Bolt 1/4"-28	1
18	GB 93-87	Spring washer 6	1
19	GB 96-85	Washer 6	1
20	D36.0301.0203	Gear shift arm	1

STEERING GEAR



STEERING GEAR			
1	D24.0109.0001	Hub cover	2
2		Axial elastic ring 20	2
3	D40.0102.0015	Washer %c20x%%c43x3	4
4	D40.0102.0016	Bearing washer	2
5		Bearing 61904	4
6	D40.0102.0101	Tyre 15x6-6	2
7	D40.0102.0400	R-stube axle weldment	1
8	GB/T9163	Join bearing	2
9	GB/T6170-2000	Hexagon nut M10	3
10	GB/T97.1-85	Washer 20	2
11	D24.0112.0003	Bushing	4
12	D40.0102.0200	L-stube axle weldment	1
13	D36.0303.0001	Pull rod	1
14	GB/T6170-200	Hexagon nut 10-LH	1
15	GB/T9163	Join bearing	1
16	D36.0303.0100	Front beam weldment	1
17	D40.0102.0017	Rubbber cushion	4
18	D40.0102.0004	Pivot axis	1
19	D40.0102.0005	Bush	1
20	GB/T70.1-2000	Screw M10x50	1
21	D40.0102.0011	Turning arm 1	2
22	D40.0102.0012	Turning arm 2	2
23	GB/T5789-2000	Hexagon bolt M8x50	1
24		Washer 8	1
25	GB/T93-87	Spring washer 8	1
26	GB/T5789-2000	Hexagon bolt M8x20	3
27	GB/T6183.1-2000	Hexagon lock nutM10*1.25	4
28	D40.0102.0003	Hexagon bush	1
29	JB/T7940.2-95	Grease fitting M6	3
30	GB/T97.1-85	Washer 16	2
31	D40.0102.0002	Rubber ring	1
32	D40.0102.0008	Gear bracket	1
33	GB/T6183.1-2000	Hexagon lock nut M8	2
34	D24.0112.0003	Hexagon rubber bush	1
35	D40.0102.0001	Gear	1
36	GB/T879.1-2000	Spring pin 6x26	1
37	D40.0103.0001	Spacer ring	5
38	GB/T9163	Joint bearing SQ10-RS	1
39	GB/T6170-2000	Hexagon nut M10	5
40	D36.0303.0001	Pull rod	1
41	GB 95-85	WasherΦ16*28*1.5	2
42	GB/T5789-2000	Hexagon bolt M10x40	1
43	GB/T70.1-2000	Screw M6x45	1
44	D24.0112.0200	Steering wheel	1
45	GB/T6183.1-2000	Hexagon lock nut M6	1
46	D40.0102.0014	Steering column	1
47	GB/T5789-86	Hexagon bolt M10x35	2
48	D40.0102.0010	Gear bracket	2
49	D40.0102.0009	Gear plate	1
50	D40.0102.0007	Bushing	2
51	GB 896-86	Snap ring 15	2


LIFT COMPONENTS



LIFT COMPONENTS

1	D40.0203.0001	Pivot pin(Hexagon)	2
2	GB/T6177.2-2000	Hexagon flange nutM12x1.25	2
3	D40.0203.0002	Front suspension	1
4	D40.0203.0003	Torsional spring L	1
5	GB 96-85	Washer 10(BIG)	2
6	D40.0203.0005	Torsional spring R	1
7	D24.0113.0001	Hair pin cotter%%c2	8
8	GB/T6183.2-2000	Flange lock nut M12x1.25	2
9	D40.0203.0006	Pivot pin	2
10	D40.0105.0003	Rubber bushing	2
11	GB 96-85	Washer 10	2
12	D40.0203.0007	Spacer ring	2
13	D40.0203.0008	Front hanging arm weldment	2
14	D40.0203.0009	Lift swivel shaft	1
15	D40.0105.0004	Hair pin cotter 3	4
16	D24.0116.0001	Rubber button	1
17	D24.0116.0002	Lift handle	1
18	GB/T818-2000	Screw M5*8	1
19	D40.0105.0201	Push rod	1
20	GB/T6170-2000	Hexagon nut M6	1
21	D40.0105.0202	Pin retainer	1
22	GB/T879.1-2000	Spring pin 8x40	1
23	D24.0116.0006	Pressure spring	1
24	D24.0116.0007	Spring retainer	1
25	D40.0203.0006	Pivot pin	1
26	D40.0203.0200	Lift hangdle weldment	1
27	01.05.0091	Spring pin 6x26	1
28	01.02.0273	Hexagon bolt M10x70	1
29	D40.0203.0300	Lift cross shaft weldment	1
30	GB/T6183.1-2000	Hexagon nut M10	1
31	D40.0203.0010	Pulling rod	2
32	GB 96-85	Washer 8	2
33	D40.0203.0004	Swivel jiont M8	2
34	GB/T6183.1-2000	Hexagon lock nut M8	2
35	D24.0116.0012	Hexagon bush	2

GRASS CATCHER COMPONENT





GRASS CATCHER COMPONENTS

1	GB/T818-2000	screw M6x35	14
2	D40.0107.0005	Layer board	1
3	GB/T6183.1-2000	Hexagon lock nut M6	18
4	D40.0107.0006	Screw rod	1
5	GB 95-85	Washer 6	2
6	GB/T5789-2000	Hexgon bolt M6x20	4
7	GB 923-88	Canopy nut M6	2
8	D40.0107.0400	Bottom frame weldment	1
9	D24.0118.0101	Side stay pipe	2
10	D40.0107.0004	Front frame	1
11	GB/T5789-2000	Hexagon bolt M8x30	2
12	D40.0107.0200	Top frame weldment	1
13	D40.0107.0008	Seal cap	2
14	D40.0107.0100	Front handle	1
15	GB 95-85	Washer 5	1
16	GB/T818-2000	Screw M5x16	1
17	D40.0107.0007	Spring fingers	1
18	GB/T70.2-2000	Hexagon socket button head screws M6*16	1
19	D40.0107.0001	Rear handle	1
20	D40.0107.0003	Cover	1
21	GB 845-88	Screw ST4.8x13	2
22	D24.0118.0008	Handle	1
23	D40.0107.0002	Lever	1
24	D40.0107.0300	Grass catcher	1
25	D24.0118.0009	Bumper	1


SupaSwift Gear 36

POWER LINE



POWER LINE			
1	D40.0108.0006	Push switch	1
2	D40.0104.0302	Switch	2
3	D40.0104.0004	Relay	2
4	D24.0123.1000	switch	5
5	D40.0108.0003	Starter wire	1
6	D40.0108.0006	Battery	1
7	D40.0108.0001	Engine grounding wire	1
8	GB/T818-2000	Screw M5x16	2
9	GB/T6183.1-2000	Hexagon lock nut M5	2
10	D40.0108.0005	Rubber plate	1
11	D40.0108.0004	Stationary frame	1
12	D40.0108.0007	Rope	1
13	GB/T6170-2000	Hexagon nut M6	2
14	GB/T93-87	Spring washer 6	2
15	GB/T5789-2000	Hexagon bolt M6x16	2
16	D40.0108.0102	Relay	1
17	D40.0104.0805	Buzzer	1
18	D40.0100.0010	Clutch switch	1
19	D24.0123.1100	Engine lock	1
20	D40.0104.0802	Light switch	1
21	D40.0108.0101	Fuse	1
22	D40.0101.0100	Light	2
23	D40.0103.0605	Electric clutch	1

DECK COMPONENTS



DECK COMPONENTS

1	ANSIB 18.2.1	Bolt 3/8-24unf	1
2	D24.0117.0004	Saucer washer	2
3	D36.0101.0101	Left brade	1
4	D24.0117.0002	Sleeve	2
5	D40.0106.0404	Spacer ring	2
6	GB/T276-1994	Bearing 6204-2RZ	4
7	D40.0106.0403	Cuttter house	2
8	D40.0106.0004	Pivot tube	2
9	D40.0106.0003	Wheel	2
10	GB 96-85	Washer 8	2
11	GB/T5783-2000	Hexagon bolt M8x60	2
12	GB/T6183.1-2000	Hexagon lock nut M8	3
13	D36.0201.0100	Deck weldment	1
14	GB/T5789-2000	Hexagon bolt M8x25	8
15	D40.0106.0402	Pivot tube	2
16	D40.0106.0401	Left blade axle	1
17	GB/T1099-1979	Woodruff key 4x16	2
18	GB/T1096-86	Key 6x6x30	2
19	D36.0101.0400	Pulley weldment	2
20		Washer 8	1
21	GB/T93-87	Spring washer 8	2
22	GB/T5789-2000	Hexagon bolt M8x20	2
23	GB/T70.2-2000	Hexagon socket button head screws M6*16	7
24	D24.0117.0010	Buckle nut M6	2
25	D36.0101.0001	Belt AA105	1
26	D40.0106.0006	Left pulley cover	1
27	GB/T6177.1-2000	Hexagon nut M8	1
28	D40.0204.0001	Cover bracket	1
29	GB/T6183.1-2000	Hexagon lock nut M6	2
30	D40.0106.0009	Traction spring	1
31	GB/T5789-2000	Hexgon bolt M6x20	2
32	GB/T6172.1-2000	Hexagon nut M12	2
33	D40.0106.0005	Adjusting screw	1
34	GB894.1-86	Axial elastic ring 16	1
35	JB/T7940.2-95	Grease fitting M6	1
36	01.04.0023	Washer 6	1
37	D40.0106.0600	Right blade axle	1
38	GB/T6183.1-2000	Hexagon lock nut M12	1
39	D40.0106.0300	Idler pulley arm weldment	1
40	D40.0106.0201	Spacer	1
41		Idler pulley	1
42	D40.0106.0007	Pivot tube	1
43	D36.0101.0301	Idler pulley	1
44	GB/T5789-2000	Hexagon bolt M12x45	1
45	GB/T96-2000	Washer 8	1
46	D40.0106.0008	Right pulley cover	1
47	D36.0101.0201	Right blade	1
48	D40.0104.0901	Swivel bolt	2
49	D40.0106.0011	Collector channel	1
50	ANSIB 18.2.1	LH Bolt 3/8-24unf	1
51	D40.0106.0407	Washer 50x20.2x2	2
52	D40.0106.0406	Hood, Bearing	2